



We bring the awesome **Git** SCM to Windows


Download


Contribute

























Use Git from Git Bash only

This is the safest choice as your PATH will not be modified at all. You will only be able to use the Git command line tools from Git Bash.

OUse Git from the Windows Command Prompt

This option is considered safe as it only adds some minimal Git wrappers to your PATH to avoid cluttering your environment with optional Unix tools. You will be able to use Git from both Git Bash and the Windows Command Prompt.

O Use Git and optional Unix tools from the Windows Command Prompt

Both Git and the optional Unix tools will be added to your PATH.


Warning: This will override Windows tools like "find" and "sort". Only use this option if you understand the implications.

http://git-hor-windows.github.io/

< Back

Next >

Cancel











Checkout Windows-style, commit Unix-style line endings

Git will convert LF to CRLF when checking out text files. When committing text files, CRLF will be converted to LF. For cross-platform projects, this is the recommended setting on Windows ("core.autocrif" is set to "true").

Checkout as-is, commit Unix-style line endings

Git will not perform any conversion when checking out text files. When committing text files, CRLF will be converted to LF. For cross-platform projects, this is the recommended setting on Unix ("core, autocrlf" is set to "input").

Checkout as-is, commit as-is

Git will not perform any conversions when checking out or committing text files. Choosing this option is not recommended for cross-platform projects ("core.autocrlf" is set to "false").

< Back Next >

Cancel









Configuring the terminal emulator to use with Git Bash

Which terminal emulator do you want to use with your Git Bash?





Use MinTTY (the default terminal of MSys2)

Git Bash will use MinTTY as terminal emulator, which sports a resizable window, non-rectangular selections and a Unicode font. Windows console programs (suc as interactive Python) must be launched via `winpty` to work in MinTTY.

Use Windows' default console window

Git will use the default console window of Windows ("cmd.exe"), which works well with Win32 console programs such as interactive Python or node. js, but the window is not freely resizable, allows only rectangular text selections, has a very limited default scroll-back, and needs to be configured to use a Unicode font in order to display non-ASCII characters correctly.

< Back

Next >

Cancel

